



MATERIAL SAFETY DATA SHEET

Rygel ProCanOil Spray Oil Concentrate

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

Supplier: Profeng Australia Pty Ltd
ACN: 156 055 533
Street Address: 103 Ordish Road, Dandenong South, Vic 3175
Telephone: (03) 9768 2803
Facsimile: (03) 9768 2804

Emergency telephone number: National Poisons Information Centre:
Phone Australia 13 11 26.

Product Name: Rygel ProCanOil Spray Oil Concentrate
Product Use: A tank mix adjuvant to improve wetting of agricultural pesticides and reduce spray drift.

2. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Entity	Proportion
Canola Oil	840 g/L
Surfactants	10 - 15%

3. HAZARDS IDENTIFICATION

Based on available information, not classified as hazardous according to health criteria of NOHSC Australia.

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail.

4. FIRST AID MEASURES

Ingestion: Give plenty of water or milk to drink and do not induce vomiting. Seek medical assistance.

Eye contact: Immediately irrigate with copious quantities of water for at least 15 minutes. In all cases of eye contamination it is advisable to seek immediate medical assistance.



Profeng Australia Pty Ltd

Address: 103 Ordish Road Dandenong South Victoria 3175
Phone: +61 3 9768 2803 Fax: +61 3 9768 2804
Email: info@profeng.com.au www.profeng.com.au
A.C.N.: 156 055 533 A.B.N.: 37 178 790 573

Skin contact: Wash contaminated skin with plenty of water. Remove contaminated clothing and wash before reuse. If irritation persists seek medical advice.

Inhalation: Remove victim from exposure. Seek medical assistance if symptoms persist.

Notes to physician: Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Classified as a C2 (Combustible Liquid).

Suitable extinguishing media: Use water fog, dry chemical, foam, carbon dioxide, BFC. Hazards from combustion products.

Combustible liquid. Product of combustion may include carbon dioxide, carbon monoxide, smoke and fumes.

Precautions for Firefighters and Special Protective Equipment

Firefighters to wear self-contained breathing apparatus if risk of exposure to vapour or products of combustion.

6. ACCIDENTAL RELEASE MEASURES

Emergency Procedure

Wash area down thoroughly with water or cover with absorbent (soil, sand, vermiculite). Collect and seal in properly labelled drums for disposal. Wash area down effected area with excess water. Spills are slippery.

If contamination of sewers or waterways has occurred advise the local emergency services.

7. HANDLING AND STORAGE

Precautions for Safe Storage

Classified as a C2 (combustible Liquid)

Keep out of reach of children. Store in closed original container in a well ventilated place, as cool as possible. Triple rinse containers before disposal and add rinsings to tank.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

National occupational exposure limits

No value assigned for this specific material by the National Occupational Health and Safety Commission (NOHSC Australia).

Personal protection equipment: Wear overalls, goggles and impervious gloves. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form / Colour / Odour: amber coloured liquid



Profeng Australia Pty Ltd

Address: 103 Ordish Road Dandenong South Victoria 3175
Phone: +61 3 9768 2803 Fax: +61 3 9768 2804
Email: info@profeng.com.au www.profeng.com.au
A.C.N.: 156 055 533 A.B.N.: 37 178 790 573

Solubility:	disperses in water to form an emulsion
Specific Gravity (15°C):	0.93 approx.
Flashpoint:	>150°C
pH (1% aq):	6 - 8

10. STABILITY AND REACTIVITY

Stable under anticipated conditions of storage and handling. Avoid strong oxidising agents.

11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms that may arise if the product is mishandled are:

Acute Effects

Ingestion:	All ingredients have low acute toxicity. Ingestion may cause nausea, vomiting and diarrhoea.
Eye contact:	A mild eye irritant.
Skin contact:	May lead to mild irritation on repeated or prolonged exposure.
Inhalation:	Prolonged inhalation of mists may produce respiratory irritation.
Long Term Effects:	No information available for product.

Acute toxicity / Chronic toxicity

No LD50 data available for product. Based on knowledge of related constituents:

Acute oral LD50 (rat) > 5,000 mg/kg

12. ECOLOGICAL INFORMATION

Readily biodegradable. Do not contaminate streams, rivers or waterways with the chemical used container.

13. DISPOSAL CONSIDERATIONS

Triple or, preferably, pressure rinse containers before disposal. If recycling, replace cap and return containers to recycler or designated collection point. If not recycling, break, crush, puncture and bury empty containers in local authority landfill. If not available bury the containers below 500 mm in a disposal pit specifically marked and setup for this purpose clear of waterways, vegetation and roots.

Empty containers and product should not be burnt.

Refer to State/Territory Land Waste Management Authority. Dispose of material through a licensed waste contractor.

14. TRANSPORT INFORMATION

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code



Profeng Australia Pty Ltd

Address: 103 Ordish Road Dandenong South Victoria 3175

Phone: +61 3 9768 2803

Fax: +61 3 9768 2804

Email: info@profeng.com.au

www.profeng.com.au

A.C.N.: 156 055 533

A.B.N.: 37 178 790 573

(ADG Code) for transport by Road and Rail.

15. REGULATORY INFORMATION

Based on available information, not classified as hazardous according to health criteria of NOHSC Australia.

16. OTHER INFORMATION

All information contained in this document is as accurate as possible based on information submitted by raw material suppliers. **Profeng Australia Pty Ltd** will not be responsible for any damages that may result from reliance on the information contained herein.