



# MATERIAL SAFETY DATA SHEET

## Rygel Red Marking Dye Liquid

### 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

**Supplier:** Profeng Australia Pty Ltd  
**A.C.N.:** 156 055 533  
**Street Address:** 103 Ordish Road, Dandenong South, Vic 3175  
**Telephone:** (03) 9768 2803  
**Facsimile:** (03) 9768 2804  
**Email:** info@profeng.com.au

**Emergency telephone number:** National Poisons Information Centre:  
Phone Australia 13 11 26.

**Product name:** Rygel Red Marking Dye Liquid  
**Product Use:** A tank mix Red dye additive to assist in identification of areas sprayed with pesticide.

### 2. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Entity	CAS No	Conc. %
Rhodamine B	81-88-9	17%
Diethylene glycol	111-46-6	10%-30%

This is a commercial product whose exact ratio of components may vary. Trace quantities of impurities are also likely.

### 3. HAZARDS IDENTIFICATION

This product is classified as:

Classified as hazardous according to health criteria of NOHSC Australia.

Not classified as Dangerous Goods by the criteria of the Australia Dangerous Goods Code (ADG Code) for transport by Road and Rail.

#### Risk Phrases

R22 Harmful if swallowed  
R41 Risk of serious damage to eyes

#### Safety phrases

S2 Keep out of reach of children  
S13 Keep away from food, drink and animal feeding stuffs



## Profeng Australia Pty Ltd

Address: 103 Ordish Road Dandenong South Victoria 3175

Phone: +61 3 9768 2803

Fax: +61 3 9768 2804

Email: [info@profeng.com.au](mailto:info@profeng.com.au)

[www.profeng.com.au](http://www.profeng.com.au)

A.C.N.: 156 055 533

A.B.N.: 37 178 790 573

- S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice
- S46 If swallowed, seek medical advice

### 4. FIRST AID MEASURES

**Inhalation:** Give plenty of water or milk to drink and do not induce vomiting. Seek medical assistance.

**Eye contact:** Immediately irrigate with copious quantities of water for at least 15 minutes. In all cases of eye contamination it is advisable to seek immediate medical assistance.

**Inhalation:** Remove victim from exposure. Seek medical assistance if symptoms persist.

**Notes to physician:** Consider evacuation the stomach and the use of an absorbent such as charcoal. Test and correct for metabolic acidosis and hypocalcaemia. Apply rapid and sustained diuresis when possible with the use of hypertonic mannitol. Evaluate renal status and begin hemodialysis if indicated.

### 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Use water fog, dry chemical, foam, carbon dioxide, BFC. Hazards from combustion products

#### Combustible liquid

May burn and produce oxides of carbon, smoke and fumes.

#### Precautions for Fire-fighters and Special Protective Equipment

Fire-fighters to wear self-contained breathing apparatus if risk of exposure to vapour or products of combustion.

### 6. ACCIDENTAL RELEASE MEASURES

#### Emergency Procedure

Wash area down thoroughly with water or cover with absorbent (soil, sand, vermiculite).

Collect and seal in properly labeled drums for disposal. Wash area down effected area with excess water. Spill are slippery.

If contamination of sewers or waterways has occurred advise the local emergency services.

### 7. HANDLING AND STORAGE

#### Precautions for Safe Storage

Store in closed original container in a well ventilated place, as cool as possible. Do not store for prolonged periods in direct sunlight. Triple rinse containers before disposal and add ringsings to tank.



## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### National occupation exposure limits

No value assigned for this specific material by the National Occupational Health and Safety Commission (NOHSC Australia).

### Engineering controls

Natural ventilation only is required.

### Personal protection

Personal protection equipment: Wear overalls, goggles and impervious gloves. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Form</b>	red coloured liquid
<b>Solubility</b>	soluble in water
<b>Specific Gravity</b>	1.12 approx.
<b>Flashpoint:</b>	>61°C
<b>pH (1% aq):</b>	7-9

## 10. STABILITY AND REACTIVITY

Avoid strong oxidizing agents

## 11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms that may arise if the product is mishandled are:

### Acute Effects

Ingestion: Short term exposure by ingestion is considered to be harmful, producing liver and kidney damage

Eye contact: May be an eye irritant.

Skin contact: May lead to mild irritation on repeated or prolonged exposure.

Inhalation: Prolonged inhalation of mists may result in headaches, dizziness and possible nausea.

Long term effects: No information available for product.

### Acute toxicology / Chronic toxicity

No LD50 data available for product. Based on knowledge of related constituents:

Rhodamine B

Acute oral LD50 (rat) 500 mg/kg

Acute oral LD50 (mouse) 887 mg/kg

Diethylene glycol



## Profeng Australia Pty Ltd

Address: 103 Ordish Road Dandenong South Victoria 3175

Phone: +61 3 9768 2803

Fax: +61 3 9768 2804

Email: [info@profeng.com.au](mailto:info@profeng.com.au)

[www.profeng.com.au](http://www.profeng.com.au)

A.C.N.: 156 055 533

A.B.N.: 37 178 790 573

Acute oral LD50 (human) 1,000 mg/kg

Acute oral LD50 (rat) 12, 675 mg/kg

Acute oral LD50 (mouse) 23,700 mg/kg

### **Carcinogenicity**

Rhodamine B has been tested in mice and rats by subcutaneous injection and, in inadequate studies, by oral administration. It was carcinogenic in rats when injected subcutaneously, producing local sarcomas. Rhodamine B has been classified by the International Agency for Research on Cancer (IARC) as a group 3, not classifiable as to its carcinogenicity to humans.

## **12. ECOLOGICAL INFORMATION**

Readily biodegradable. Do not contaminate streams, rivers or waterways with the chemical or used container.

Fish LC50 (96 hr) for fish is 10-100 mg/L for Rhodamine B

## **13. DISPOSAL CONSIDERATIONS**

Triple or, preferably, pressure rinse containers before disposal. If recycling, replace cap and return containers to recycler or designated collection point. If not recycling, break, crush, puncture and bury empty containers in local authority landfill. If not available bury the containers below 500 mm in a disposal pit specifically marked and setup for this purpose clear of waterways, vegetation and roots.

Empty containers and product should not be burnt.

Refer to State/Territory Land Waste Management Authority. Disposal of material through a licensed waste contractor.

## **14. TRANSPORT INFORMATION**

Not classified as Dangerous Goods by the criteria of the Australia Dangerous Goods Code (ADG Code) for transport by Road and Rail.

## **15. REGULATORY INFORMATION**

Based on available information, classified as hazardous according to health criteria of NOHSC Australia.

Risk Phrases

R36 Irritating to eyes

Safety Phrases

S2 Keep out of reach of children

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Not classified as Dangerous Goods by the criteria of the Australia Dangerous Goods Code



## Profeng Australia Pty Ltd

Address: 103 Ordish Road Dandenong South Victoria 3175

Phone: +61 3 9768 2803

Fax: +61 3 9768 2804

Email: [info@profeng.com.au](mailto:info@profeng.com.au)

[www.profeng.com.au](http://www.profeng.com.au)

A.C.N.: 156 055 533

A.B.N.: 37 178 790 573

(ADG Code) for transport by Road and Rail.

### 16. OTHER INFORMATION

All information contained in this document is as accurate as possible based on information submitted by raw material suppliers. **Profeng Australia Pty Ltd** will not be responsible for any damages that may result from reliance on the information contained herein.